

令和8年度 上越地域米 積算気温表による収穫のめやす (9月1日現在)

【目次】

P 2 ・ ・ ・ 積算気温表の見方

P 3 ・ ・ ・ 高田版 積算気温表

P 4 ・ ・ ・ 大潟版 積算気温表

P 5 ・ ・ ・ 関山版 積算気温表

出穂後の積算気温による収穫適期のめやす(例)

9月1日 までは本年値、それ以降は平年値を使用

[illegible]

出穂後の積算気温による収穫適期のめやす(高田アメダス)

9月1日 までは本年値、それ以降は平年値を使用

収穫期		収穫適期																																														
出穂期		8/13	8/14	8/15	8/16	8/17	8/18	8/19	8/20	8/21	8/22	8/23	8/24	8/25	8/26	8/27	8/28	8/29	8/30	8/31	9/1	9/2	9/3	9/4	9/5	9/6	9/7	9/8	9/9	9/10	9/11	9/12	9/13	9/14	9/15	9/16	9/17	9/18	9/19	9/20	9/21	9/22	9/23	9/24	9/25			
品種毎の出穂期	本年値	25.9	28.0	27.5	27.6	28.0	28.1	28.5	27.9	25.9	26.5	27.6	29.0	29.9	28.1	22.9	23.2	20.5	25.6	27.1	28.3																											
	平年値	26.8	26.7	26.6	26.5	26.5	26.4	26.3	26.2	26.1	26.0	25.9	25.8	25.7	25.6	25.5	25.4	25.3	25.1	25.0	24.9	24.8	24.7	24.5	24.4	24.2	24.0	23.8	23.6	23.5	23.3	23.1	22.9	22.7	22.5	22.3	22.0	21.8	21.6	21.4	21.2	21.0	20.8	20.6	20.4			
なつひめ	7/10	924	952	979	1007	1035	1063	1091	1119	1145	1172	1199																																				
	7/11	897	925	952	980	1008	1036	1064	1092	1118	1145	1172	1201																																			
	7/12	869	897	925	952	980	1009	1037	1065	1091	1117	1145	1174	1204																																		
	7/13	840	868	896	923	951	979	1008	1036	1062	1088	1116	1145	1175	1203																																	
	7/14	812	840	868	895	923	951	980	1008	1034	1060	1088	1117	1147	1175	1198	1221																															
わたぼうし	7/15	783	811	839	866	894	922	951	979	1,005	1,031	1,059	1,088	1,118	1,146	1,169	1,192	1,212																														
	7/16	756	784	811	839	867	895	923	951	977	1,004	1,031	1,060	1,090	1,118	1,141	1,164	1,185	1,210																													
	7/17	729	757	784	812	840	868	896	924	950	977	1,004	1,033	1,063	1,091	1,114	1,137	1,158	1,183	1,210																												
つきあかり	7/18	701	729	756	784	812	840	869	896	922	949	976	1,005	1,035	1,063	1,086	1,110	1,130	1,156	1,183	1,211																											
	7/19	672	700	727	755	783	811	839	867	893	920	947	976	1,006	1,034	1,057	1,080	1,101	1,126	1,154	1,182	1,207																										
	7/20	642	670	697	725	753	781	809	837	863	890	917	946	976	1,004	1,027	1,050	1,071	1,096	1,124	1,152	1,177	1,201																									
こがねもち	7/21	613	641	668	696	724	752	780	808	834	861	888	917	947	975	998	1,021	1,042	1,067	1,095	1,123	1,148	1,172	1,197	1,221																							
	7/22	583	611	639	666	694	722	751	779	805	831	859	888	918	946	969	992	1,012	1,038	1,065	1,093	1,118	1,143	1,167	1,192	1,216																						
	7/23	554	582	610	637	665	693	722	750	776	802	830	859	889	917	940	963	983	1,009	1,036	1,064	1,089	1,114	1,138	1,163	1,187	1,211																					
	7/24	525	553	581	608	636	665	693	721	747	773	801	830	860	888	911	934	955	980	1,007	1,036	1,060	1,085	1,110	1,134	1,158	1,182	1,206																				
コシヒカリ	7/25	498	526	554	581	609	637	666	694	720	746	774	803	833	861	884	907	927	953	980	1,008	1,033	1,058	1,082	1,107	1,131	1,155	1,179	1,202																			
	7/26	474	502	529	557	585	613	641	669	695	722	749	778	808	836	859	882	903	929	956	984	1,009	1,033	1,058	1,082	1,107	1,131	1,154	1,178	1,201	1,225																	
	7/27	448	476	504	532	560	588	616	644	670	696	724	753	783	811	834	857	878	903	930	959	983	1,008	1,033	1,057	1,081	1,105	1,129	1,153	1,176	1,199	1,223																
	7/28	423	451	479	507	535	563	591	619	645	671	699	728	758	786	809	832	853	878	905	934	958	983	1,008	1,032	1,056	1,080	1,104	1,128	1,151	1,174	1,198	1,220															
新之助	7/29	398	426	454	481	509	537	566	594	620	646	674	703	733	761	784	807	827	853	880	908	933	958	982	1,007	1,031	1,055	1,079	1,102	1,126	1,149	1,172	1,195	1,218														
	7/30	371	399	426	454	482	510	538	566	592	619	646	675	705	733	756	779	800	825	852	881	906	930	955	979	1,003	1,027	1,051	1,075	1,098	1,122	1,145	1,168	1,190	1,213													
	7/31	343	371	398	426	454	482	510	538	564	591	618	647	677	705	728	751	772	797	824	853	878	902	927	951	975	999	1,023	1,047	1,070	1,094	1,117	1,140	1,162	1,185													

出穂後の積算気温による収穫適期のめやす(大潟アメダス)

9月1日 までは本年値、それ以降は平年値を使用

[illegible]

[illegible]