

観測年月： 2024年 04月

観測局	集塵時間帯	採取直後の放射能濃度					5時間後の放射能濃度				
		0～6時	6～12時	12～18時	18時～0時	全時間帯	0～6時	6～12時	12～18時	18時～0時	全時間帯
柏崎市街局	集塵回数	28	28	29	29	114	28	28	29	29	114
	平均吸引流量	204.16	203.60	204.07	203.57	203.85	204.16	203.60	204.07	203.57	203.85
	平均値	1.80898	0.88691	0.64913	1.31669	1.16223	0.08504	0.04178	0.01270	0.04975	0.04703
	最高値	3.3138E+0	1.9786E+0	1.5591E+0	2.5565E+0	3.3138E+0	1.6819E-1	8.5430E-2	3.7890E-2	1.2155E-1	1.6819E-1
	該当時刻	04/27 06:10	04/27 12:10	04/08 18:10	04/16 00:10	04/27 06:10	04/14 11:10	04/27 17:10	04/08 23:10	04/15 05:10	04/14 11:10
	風 向	SSE	NW	WNW	SE	SSE	SSE	NW	WNW	S	SSE
	風 速	0.9	1.9	3.0	1.0	0.9	0.8	1.9	3.0	1.0	0.8
	大気安定度	G	A-B	D	G	G	G	A-B	D	G	G
	最低値	1.5138E-1	1.3386E-1	1.2001E-1	2.2212E-1	1.2001E-1	#4.9700E-3	#2.8000E-3	#1.6300E-3	#1.3800E-3	#1.3800E-3
	該当時刻	04/24 06:10	04/24 12:10	04/24 18:10	04/25 00:10	04/24 18:10	04/25 11:10	04/19 17:10	04/17 23:10	04/10 05:10	04/10 05:10
	風 向	SE	SE	SE	WNW	SE	WNW	WNW	NW	NW	NW
	風 速	2.5	3.4	3.3	2.2	3.3	1.1	5.3	2.9	3.6	3.6
	大気安定度	D	D	D	D	D	D	D	D	D	D
過去5年間(同一月)						2.95601					0.17075
		最高値				0.09291					-0.00179
		最低値									

刈羽局	集塵回数	28	28	29	29	114	28	28	29	29	114
	平均吸引流量	205.55	204.89	204.28	205.42	205.03	205.55	204.89	204.28	205.42	205.03
	平均値	1.69227	0.81063	0.59994	1.28582	1.09446	0.10260	0.04631	0.01570	0.06848	0.05799
	最高値	3.1866E+0	1.4941E+0	1.2075E+0	2.4271E+0	3.1866E+0	2.3453E-1	9.7920E-2	4.3880E-2	1.5744E-1	2.3453E-1
	該当時刻	04/13 06:10	04/27 12:10	04/15 18:10	04/16 00:10	04/13 06:10	04/15 11:10	04/16 17:10	04/03 23:10	04/16 05:10	04/15 11:10
	風 向	NNE	SSW	WNW	NNE	NNE	NNE	WSW		NNE	NNE
	風 速	1.0	1.6	2.5	0.9	1.0	1.1	2.0		0.9	1.1
	大気安定度	G	A-B	B	G	G	G	D		G	G
	最低値	2.2155E-1	2.4303E-1	1.0339E-1	2.3525E-1	1.0339E-1	#7.5300E-3	#3.5100E-3	#3.4900E-3	#3.6600E-3	#3.4900E-3
	該当時刻	04/24 06:10	04/24 12:10	04/24 18:10	04/25 00:10	04/24 18:10	04/25 11:10	04/09 17:10	04/09 23:10	04/10 05:10	04/09 23:10
	風 向	SSE	SE	SSE	SW	SSE	SW	N	NNW	NW	NNW
	風 速	2.8	3.5	4.2	2.4	4.2	1.3	4.7	4.5	3.2	4.5
	大気安定度	D	D	D	D	D	D	D	D	D	D
過去5年間(同一月)						3.84861					0.35133
		最高値				0.08936					-0.00293
		最低値									

西山局	集塵回数	28	28	29	29	114	28	28	29	29	114
	平均吸引流量	207.19	206.51	205.95	207.05	206.67	207.19	206.51	205.95	207.05	206.67
	平均値	2.02605	0.77745	0.59075	1.50918	1.22277	0.10764	0.04571	0.01756	0.07088	0.06016
	最高値	3.5135E+0	1.3991E+0	1.1283E+0	3.0607E+0	3.5135E+0	2.1587E-1	1.0206E-1	4.6330E-2	1.6079E-1	2.1587E-1
	該当時刻	04/08 06:10	04/27 12:10	04/15 18:10	04/16 00:10	04/08 06:10	04/14 11:10	04/16 17:10	04/03 23:10	04/16 05:10	04/14 11:10
	風 向	CALM	NW	W	CALM	CALM	CALM	WSW		CALM	CALM
	風 速	0.6	1.4	2.5	0.6	0.6	0.5	1.2		0.6	0.5
	大気安定度										
	最低値	3.1892E-1	2.5503E-1	1.0831E-1	2.4180E-1	1.0831E-1	#8.8500E-3	#4.8900E-3	#3.8900E-3	#7.0200E-3	#3.8900E-3
	該当時刻	04/24 06:10	04/24 12:10	04/24 18:10	04/25 00:10	04/24 18:10	04/25 11:10	04/19 17:10	04/09 23:10	04/25 05:10	04/09 23:10
	風 向	SE	ESE	ESE	SW	ESE	WSW	WNW	NW	SW	NW
	風 速	2.6	3.9	3.3	1.5	3.3	0.7	4.0	3.0	1.5	3.0
	大気安定度										
過去5年間(同一月)						4.77886					0.31236
		最高値				0.07384					-0.00153
		最低値									

※1:最高値／最低値欄の風向・大気安定度は、過去6時間内の最頻データを印字しています。

※2:最高値／最低値欄の風速は、過去6時間の平均風速を印字しています。

観測年月: 2024年 04月

柏崎市街局	時間帯	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
採取直後の濃度	0～6時	2.2483E+0			2.1243E+0	1.9610E+0	1.9724E+0	2.4533E+0	2.7608E+0	6.1527E-1	9.9184E-1	1.7060E+0	2.1691E+0	2.9370E+0	2.9005E+0	2.5589E+0	2.1882E+0	4.1280E-1	2.5787E+0	5.9432E-1	1.4707E+0
	6～12時	4.8120E-1			6.1347E-1	6.2759E-1	7.6239E-1	1.3649E+0	1.9349E+0	3.0814E-1	3.5056E-1	1.0031E+0	1.1855E+0	1.3498E+0	1.3852E+0	1.6444E+0	7.6993E-1	4.3843E-1	9.4748E-1	5.4674E-1	4.1947E-1
	12～18時	3.4445E-1		8.4968E-1	4.5465E-1	5.8173E-1	5.6455E-1	9.2574E-1	1.5591E+0	4.0357E-1	3.5069E-1	8.5432E-1	9.2453E-1	8.5412E-1	6.1768E-1	1.3980E+0	7.9448E-1	4.5002E-1	6.9425E-1	4.4260E-1	3.0311E-1
	18時～0時	5.0829E-1		1.7358E+0	4.5237E-1	1.4729E+0	1.8703E+0	2.5552E+0	1.1767E+0	2.6196E-1	1.3290E+0	1.9736E+0	2.1440E+0	2.2740E+0	2.3271E+0	2.5565E+0	6.5554E-1	1.4643E+0	6.7856E-1	1.1033E+0	4.7942E-1
5時間後の濃度	0～6時	7.1570E-2			3.7890E-2	5.5510E-2	8.2980E-2	1.1181E-1	1.4326E-1	#7.5200E-3	3.0290E-2	7.7270E-2	1.0503E-1	1.5856E-1	1.6819E-1	1.6758E-1	1.2320E-1	3.3680E-2	8.7550E-2	1.6770E-2	7.8210E-2
	6～12時	2.8210E-2			1.9260E-2	2.7540E-2	3.4440E-2	5.9430E-2	6.9930E-2	#3.3400E-3	1.1410E-2	4.8140E-2	4.2850E-2	6.6840E-2	7.3170E-2	8.2900E-2	8.1780E-2	#8.2900E-3	4.2680E-2	#2.8000E-3	#7.9600E-3
	12～18時	#4.4300E-3		3.5550E-2	#4.1800E-3	#4.4600E-3	#3.9000E-3	1.3930E-2	3.7890E-2	#3.8300E-3	#2.9300E-3	1.9250E-2	2.2470E-2	1.3820E-2	1.6480E-2	3.1830E-2	3.0200E-2	#1.6300E-3	#6.8600E-3	#3.5300E-3	#5.5200E-3
	18時～0時	#5.8100E-3		3.6180E-2	#1.3090E-2	4.0150E-2	6.5650E-2	9.1940E-2	1.9460E-2	#1.3800E-3	3.9170E-2	6.3340E-2	8.9440E-2	8.8540E-2	1.2155E-1	1.0694E-1	5.8290E-2	4.3000E-2	1.7300E-2	3.2720E-2	3.9750E-2
流量	0～6時	203.37			202.63	203.33	206.00	204.47	205.71	203.96	204.09	207.09	205.90	205.23	204.84	203.87	199.65	203.54	206.11	200.97	200.92
	6～12時	203.06			201.39	204.45	204.37	204.25	203.81	202.65	208.38	206.04	204.64	204.84	204.24	202.92	202.75	201.64	202.91	203.24	205.43
	12～18時	202.37		201.72	204.37	205.52	205.53	206.02	203.85	202.78	206.07	206.43	204.40	204.84	206.21	204.67	204.56	202.40	202.00	203.37	200.68
	18時～0時	201.85		203.10	204.95	204.32	204.88	203.98	204.53	206.71	204.88	205.49	203.70	203.35	203.16	203.58	204.23	202.58	203.69	201.70	204.11

刈羽局	時間帯	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
採取直後の濃度	0～6時	1.7214E+0			2.0806E+0	1.7278E+0	1.9419E+0	2.1926E+0	3.1342E+0	5.2103E-1	8.2427E-1	1.5052E+0	1.8815E+0	3.1866E+0	3.1255E+0	2.7668E+0	2.2192E+0	4.4601E-1	1.2615E+0	6.5674E-1	1.6086E+0
	6～12時	4.3419E-1			6.6091E-1	6.3461E-1	7.7421E-1	8.2786E-1	1.3989E+0	3.5185E-1	3.3623E-1	8.2859E-1	9.5304E-1	9.5751E-1	1.1523E+0	1.3116E+0	1.1345E+0	4.7052E-1	9.9028E-1	5.3523E-1	5.6672E-1
	12～18時	3.2609E-1		8.7676E-1	4.5967E-1	6.0169E-1	5.8869E-1	8.4424E-1	1.1276E-1	3.9962E-1	5.4323E-1	6.0756E-1	5.4323E-1	7.2515E-1	5.1230E-1	1.2075E+0	6.6039E-1	4.5738E-1	6.6554E-1	4.7036E-1	3.7360E-1
	18時～0時	5.3812E-1		1.7616E+0	6.3251E-1	1.0998E+0	1.7007E+0	2.2278E+0	1.3947E+0	2.5563E-1	8.9075E-1	1.9899E+0	1.9059E+0	2.0874E+0	1.8948E+0	2.4271E+0	1.0015E+0	1.5736E+0	1.1896E+0	9.4433E-1	7.0767E-1
5時間後の濃度	0～6時	6.6580E-2			4.9560E-2	7.3710E-2	1.1450E-1	1.3564E-1	1.8148E-1	1.6510E-2	2.8340E-2	7.8980E-2	1.2849E-1	1.7599E-1	1.9974E-1	2.3453E-1	1.4698E-1	4.7130E-2	9.6540E-2	4.4290E-2	1.0466E-1
	6～12時	2.8360E-2			1.9100E-2	3.2240E-2	3.9420E-2	5.9240E-2	7.5890E-2	#3.5100E-3	1.3620E-2	4.2040E-2	5.3250E-2	6.1240E-2	7.4110E-2	8.2970E-2	9.7920E-2	1.2180E-2	4.3270E-2	#4.0200E-3	4.8410E-2
	12～18時	#4.6500E-3		4.3880E-2	#4.9500E-3	8.5200E-3	#7.1300E-3	1.2780E-2	3.1400E-2	#3.4900E-3	#6.4200E-3	8.3600E-3	1.3610E-2	1.6630E-2	2.0040E-2	3.2800E-2	3.8910E-2	#4.8200E-3	#9.8300E-3	#3.8300E-3	1.5470E-2
	18時～0時	#5.0300E-3		3.6290E-2	2.2800E-2	4.6310E-2	8.8400E-2	1.1962E-1	3.8780E-2	#3.6600E-3	4.2180E-2	9.7070E-2	1.0912E-1	1.2172E-1	1.4190E-1	1.5744E-1	1.2961E-1	7.7260E-2	4.7540E-2	5.2940E-2	6.6490E-2
流量	0～6時	202.59			207.02	208.63	205.68	204.60	206.21	203.69	207.28	207.77	207.39	206.58	207.61	209.18	204.39	203.18	203.46	203.46	204.20
	6～12時	201.25			207.39	205.32	204.52	204.95	202.60	204.92	209.33	208.58	207.51	204.68	207.94	204.29	204.91	205.56	203.38	201.75	204.14
	12～18時	201.27		201.69	200.33	206.54	204.75	204.27	204.24	205.66	207.50	204.88	203.15	206.05	205.47	203.16	203.70	205.10	201.85	206.62	205.19
	18時～0時	204.62		203.04	201.98	206.73	207.65	208.02	205.13	206.87	206.89	206.77	207.31	205.54	202.07	206.21	203.54	206.80	204.59	205.06	206.55

西山局	時間帯	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
採取直後の濃度	0～6時	1.9670E+0			2.5362E+0	2.1288E+0	2.2447E+0	2.8569E+0	3.5135E+0	5.1639E-1	1.0311E+0	2.0526E+0	2.1174E+0	3.4097E+0	3.1667E+0	2.7958E+0	2.6538E+0	4.8291E-1	2.6453E+0	6.2246E-1	1.5865E+0
	6～12時	4.2708E-1			6.7862E-1	5.9216E-1	8.3890E-1	7.9910E-1	1.3143E+0	3.2709E-1	3.5242E-1	8.1992E-1	7.5530E-1	1.0818E+0	1.1072E+0	1.2999E+0	1.1416E+0	4.5954E-1	8.6838E-1	5.1462E-1	5.6536E-1
	12～18時	3.0625E-1		1.0798E+0	4.6099E-1	5.8268E-1	6.0279E-1	8.1526E-1	1.0935E+0	3.8427E-1	3.3552E-1	5.5144E-1	6.2638E-1	7.0934E-1	4.8723E-1	1.1283E+0	6.5714E-1	4.7276E-1	6.4448E-1	4.5315E-1	3.6586E-1
	18時～0時	5.1811E-1		1.6050E+0	8.3162E-1	1.2378E+0	2.0634E+0	3.0281E+0	1.6022E+0	3.7453E-1	1.2699E+0	2.1280E+0	2.6704E+0	2.6402E+0	2.5688E+0	3.0607E+0	1.3118E+0	1.1757E+0	1.4516E+0	8.6877E-1	6.7751E-1
5時間後の濃度	0～6時	8.6660E-2			5.9880E-2	8.7170E-2	9.8770E-2	1.3864E-1	2.0069E-1	2.2100E-2	3.5240E-2	9.2850E-2	1.1774E-1	1.8123E-1	2.1587E-1	2.0871E-1	1.7270E-1	4.2580E-2	9.8320E-2	4.8550E-2	9.7840E-2
	6～12時	2.7970E-2			1.8980E-2	2.7030E-2	4.7590E-2	4.9670E-2	6.9710E-2	8.1100E-3	1.5160E-2	4.9900E-2	3.8950E-2	7.1400E-2	6.9500E-2	8.1070E-2	1.0206E-1	1.1080E-2	5.0820E-2	#4.8900E-3	4.1260E-2
	12～18時	#6.8400E-3		4.6330E-2	#4.8300E-3	1.0810E-2	1.3860E-2	1.4990E-2	4.2320E-2	#3.8900E-3	#8.0200E-3	#9.4700E-3	1.5970E-2	2.1070E-2	2.1920E-2	3.7680E-2	3.4790E-2	#5.1800E-3	#8.7000E-3	#5.2900E-3	1.4730E-2
	18時～0時	#7.7400E-3		4.0390E-2	2.8160E-2	5.6870E-2	9.1600E-2	1.4233E-1	5.8580E-2	#9.5500E-3	4.6490E-2	9.2200E-2	1.4076E-1	1.5275E-1	1.5962E-1	1.6079E-1	1.1186E-1	5.1550E-2	4.9490E-2	3.0870E-2	4.4190E-2
流量	0～6時	203.11			205.25	207.69	209.52	206.90	209.74	200.51	211.20	209.03	210.89	209.82	208.80	207.77	208.62	210.14	205.92	205.80	205.41
	6～12時	201.59			206.31	208.15	208.23	204.00	206.13	201.74	207.52	207.99	210.03	209.97	206.33	207.29	206.83	210.11	206.89	206.07	208.10
	12～18時	201.09		200.88	207.16	207.00	206.78	205.30	205.31	207.59	202.11	210.70	205.78	206.57	206.34	207.40	208.84	207.72	204.15	207.84	204.98
	18時～0時	203.93		205.73	206.28	209.95	206.75	210.03	207.40	209.57	206.09	210.16	205.88	208.01	207.15	207.15	209.00	210.28	205.85	207.58	207.63

月報(ダストその2) 全β (2/2)

2026/3/18 20:10

観測年月: 2024年 04月

柏崎市街局	時間帯	21	22	23	24	25	26	27	28	29	30	31	平均値	最高値	最低値	回数	平均流量 (l/min)
採取直後の濃度	0～6時	1.7136E+0	6.6928E-1	9.7881E-1	1.5138E-1	2.6078E-1	1.8676E+0	3.3138E+0	2.6571E+0	2.5812E+0	1.8145E+0		1.8090E+0	3.3138E+0	1.5138E-1	28	204.16
	6～12時	6.8285E-1	7.5422E-1	3.2459E-1	1.3386E-1	3.3392E-1	9.6288E-1	1.9786E+0	1.7162E+0	8.6190E-1	9.5113E-1		8.8691E-1	1.9786E+0	1.3386E-1	28	203.60
	12～18時	3.2552E-1	5.0664E-1	2.0224E-1	1.2001E-1	5.3694E-1	7.5043E-1	1.1676E+0	6.5840E-1	6.0091E-1	5.8899E-1		6.4913E-1	1.5591E+0	1.2001E-1	29	204.07
	18時～0時	4.7596E-1	2.8612E-1	1.6402E+0	2.2212E-1	1.3643E+0	1.9037E+0	2.1355E+0	2.0738E+0	6.9519E-1	3.6860E-1		1.3167E+0	2.5565E+0	2.2212E-1	29	203.57
	全体												1.1622E+0	3.3138E+0	1.2001E-1	114	203.85
5時間後の濃度	0～6時	1.1011E-1	4.5860E-2	3.4680E-2	1.5340E-2	#4.9700E-3	9.5970E-2	1.5538E-1	1.4802E-1	1.6051E-1	5.3360E-2		8.5038E-2	1.6819E-1	4.9700E-3	28	204.16
	6～12時	6.9820E-2	3.8180E-2	1.6190E-2	#7.9500E-3	#6.7900E-3	4.6160E-2	8.5430E-2	5.0770E-2	6.6880E-2	7.0670E-2		4.1779E-2	8.5430E-2	2.8000E-3	28	203.60
	12～18時	#9.0100E-3	#1.3300E-2	#4.8900E-3	#4.4600E-3	#7.2300E-3	1.3460E-2	2.0250E-2	1.5750E-2	#5.0100E-3	1.2190E-2		1.2698E-2	3.7890E-2	1.6300E-3	29	204.07
	18時～0時	3.5030E-2	1.4760E-2	7.7120E-2	#7.1400E-3	6.1360E-2	7.1610E-2	8.4090E-2	9.2010E-2	2.3850E-2	#2.1400E-3		4.9752E-2	1.2155E-1	1.3800E-3	29	203.57
	全体												4.7034E-2	1.6819E-1	1.3800E-3	114	203.85
流量	0～6時	204.55	203.92	205.38	204.59	206.22	206.46	202.69	204.11	204.23	202.69		204.16	207.09	199.65	28	
	6～12時	197.54	204.83	205.04	203.66	202.92	202.48	205.14	203.41	201.81	202.57		203.60	208.38	197.54	28	
	12～18時	202.03	204.63	206.38	202.71	203.85	203.54	203.49	203.99	204.82	204.95		204.07	206.43	200.68	29	
	18時～0時	199.80	201.92	203.71	204.90	206.12	202.20	202.41	203.99	199.72	204.05		203.57	206.71	199.72	29	
	全体												203.85	208.38	197.54	114	

刈羽局	時間帯	21	22	23	24	25	26	27	28	29	30	31	平均値	最高値	最低値	回数	平均流量 (l/min)
採取直後の濃度	0～6時	1.6700E+0	7.9087E-1	1.0989E+0	2.2155E-1	3.2169E-1	1.4683E+0	2.1869E+0	2.8182E+0	2.2373E+0	1.7685E+0		1.6923E+0	3.1866E+0	2.2155E-1	28	205.55
	6～12時	7.1161E-1	9.7120E-1	4.7724E-1	2.4303E-1	3.1740E-1	7.8608E-1	1.4941E+0	1.4508E+0	1.0767E+0	8.5036E-1		8.1063E-1	1.4941E+0	2.4303E-1	28	204.89
	12～18時	3.6338E-1	6.4652E-1	2.4832E-1	1.0339E-1	4.8892E-1	7.9630E-1	1.0483E+0	7.3298E-1	6.1443E-1	5.4834E-1		5.9994E-1	1.2075E+0	1.0339E-1	29	204.28
	18時～0時	5.4453E-1	5.4503E-1	7.7125E-1	2.3525E-1	1.4628E+0	2.0780E+0	2.0436E+0	2.1057E+0	8.9638E-1	3.8274E-1		1.2858E+0	2.4271E+0	2.3525E-1	29	205.42
	全体												1.0945E+0	3.1866E+0	1.0339E-1	114	205.03
5時間後の濃度	0～6時	1.3601E-1	7.5810E-2	6.3180E-2	4.1250E-2	#7.5300E-3	9.6700E-2	1.1769E-1	1.3897E-1	1.6715E-1	1.0479E-1		1.0260E-1	2.3453E-1	7.5300E-3	28	205.55
	6～12時	7.3750E-2	4.6870E-2	3.7850E-2	8.6600E-3	7.0100E-3	4.1780E-2	7.8830E-2	6.0750E-2	7.8790E-2	7.1650E-2		4.6312E-2	9.7920E-2	3.5100E-3	28	204.89
	12～18時	2.7350E-2	2.8330E-2	#8.9800E-3	#7.3600E-3	#7.3700E-3	2.5920E-2	2.0300E-2	1.3780E-2	1.9450E-2	9.0200E-3		1.5703E-2	4.3880E-2	3.4900E-3	29	204.28
	18時～0時	5.1310E-2	4.3440E-2	6.8290E-2	8.8600E-3	5.8600E-2	9.1700E-2	1.0114E-1	1.0926E-1	4.5050E-2	#4.1500E-3		6.8481E-2	1.5744E-1	3.6600E-3	29	205.42
	全体												5.7989E-2	2.3453E-1	3.4900E-3	114	205.03
流量	0～6時	205.99	208.31	207.95	203.64	205.56	208.02	205.60	203.12	206.39	197.94		205.55	209.18	197.94	28	
	6～12時	203.50	206.20	204.79	204.52	206.80	204.83	202.92	203.90	207.28	199.25		204.89	209.33	199.25	28	
	12～18時	203.18	205.88	207.57	203.15	202.81	205.54	204.52	203.37	201.69	205.09		204.28	207.57	200.33	29	
	18時～0時	207.95	206.26	208.50	205.39	200.10	208.67	198.62	204.59	205.34	206.50		205.42	208.67	198.62	29	
	全体												205.03	209.33	197.94	114	

西山局	時間帯	21	22	23	24	25	26	27	28	29	30	31	平均値	最高値	最低値	回数	平均流量 (l/min)
採取直後の濃度	0～6時	2.1741E+0	8.4502E-1	1.7334E+0	3.1892E-1	3.5031E-1	1.6181E+0	2.7905E+0	3.3093E+0	2.5944E+0	2.6682E+0		2.0261E+0	3.5135E+0	3.1892E-1	28	207.19
	6～12時	7.5296E-1	9.7417E-1	5.5032E-1	2.5503E-1	2.8776E-1	5.4524E-1	1.3991E+0	1.1884E+0	1.1039E+0	7.6815E-1		7.7745E-1	1.3991E+0	2.5503E-1	28	206.51
	12～18時	3.4001E-1	6.2293E-1	3.1213E-1	1.0831E-1	4.6912E-1	7.4787E-1	9.0489E-1	6.9388E-1	6.3085E-1	5.4475E-1		5.9075E-1	1.1283E+0	1.0831E-1	29	205.95
	18時～0時	6.1425E-1	6.8000E-1	1.2622E+0	2.4180E-1	1.7847E+0	1.9730E+0	2.0948E+0	2.3039E+0	1.3486E+0	3.7887E-1		1.5092E+0	3.0607E+0	2.4180E-1	29	207.05
	全体												1.2228E+0	3.5135E+0	1.0831E-1	114	206.67
5時間後の濃度	0～6時	1.3650E-1	5.5030E-2	8.8000E-2	3.9990E-2	#8.8500E-3	8.9710E-2	1.3626E-1	1.7880E-1	1.6123E-1	1.1398E-1		1.0764E-1	2.1587E-1	8.8500E-3	28	207.19
	6～12時	6.4590E-2	5.1430E-2	5.3380E-2	1.1570E-2	#7.1000E-3	3.2450E-2	7.0210E-2	6.7380E-2	7.4960E-2	6.1710E-2		4.5712E-2	1.0206E-1	4.8900E-3	28	206.51
	12～18時	2.3250E-2	2.9460E-2	1.4490E-2	#8.7500E-3	#8.0500E-3	2.6300E-2	1.8860E-2	1.8590E-2	2.3050E-2	1.1780E-2		1.7561E-2	4.6330E-2	3.8900E-3	29	205.95
	18時～0時	3.9050E-2	5.6520E-2	6.2350E-2	#7.0200E-3	6.6890E-2	7.2270E-2	1.0272E-1	1.1044E-1	5.4110E-2	#8.3800E-3		7.0881E-2	1.6079E-1	7.0200E-3	29	207.05
	全体												6.0163E-2	2.1587E-1	3.8900E-3	114	206.67
流量	0～6時	204.17	204.43	207.99	206.05	208.23	207.08	203.80	209.82	207.33	206.18		207.19	211.20	200.51	28	
	6～12時	201.07	208.34	206.08	206.46	205.42	205.53	205.67	207.36	206.93	206.15		206.51	210.11	201.07	28	
	12～18時	204.59	207.74	204.99	205.69	206.49	204.47	206.31	206.84	204.02	207.87		205.95	210.70	200.88	29	
	18時～0時	201.79	207.31	207.19	206.50	206.75	205.74	206.88	208.23	205.19	204.44		207.05	210.28	201.79	29	
	全体												206.67	211.20	200.51	114	